

CERTIFICATO CERTIFICATE

CONFORMITÀ BASATA SULLA GARANZIA TOTALE DI
QUALITÀ

CONFORMITY BASED ON FULL QUALITY ASSURANCE

IN ACCORDO ALLA DIRETTIVA 2014/68/UE
ACCORDING TO DIRECTIVE 2014/68/EU

Certificato N.
Certificate No.

I-202-IT/Q-17 0028

REV. 03

Fabbricante
Manufacturer

ERREESSE S.r.l.
Via delle Betulle 8A/8B/8C
28075 Grignasco (NO)
Italy

Si certifica che il sistema di qualità per la progettazione, la produzione, l'ispezione del prodotto finito e le prove istituito dal Fabbricante soddisfa i requisiti della direttiva 2014/68/UE. Il Fabbricante è autorizzato a marcare i prodotti con:
We hereby certify that quality system for design, manufacture, final product inspection and testing established by the Manufacturer fulfills the requirements of directive 2014/68/EU. The Manufacturer is entitled to mark the products with:

CE 1936

Verificato in accordo alla direttiva 2014/68/UE **MODULO H**
Tested according to directive 2014/68/EU **MODULE H**

Accessori a Pressione
Pressure Accessories

VALVOLE INDUSTRIALI
INDUSTRIAL VALVES

Codice di Progetto
Design Code

API 6D, ASME B16.34, ASME VIII Div. 1, ASME VIII Div. 2,
API 6A

Rapporto n.
Report no.

7983583/251013-1/38002/DR
7983583/251016-1/38002/QS

Gamma di approvazione
Range of approval

Vedi Allegato I – parte integrante del presente certificato
See Annex I – integral part of this certificate

Sito di produzione
Manufacturing plant

ERREESSE S.r.l.
Via delle Betulle 8A/8B/8C
28075 Grignasco (NO)
Italy

Via dei Partigiani 26B / 26C / 26D
28077 Prato Sesia (NO)
Italy

Prima emissione
First issue

01/09/2017

Condizioni di validità sul retro
Validity term and conditions on reverse

Luogo e Data di Emissione
Issue place and date

Pogliano M.se (MI)
26/11/2025

Scopo della revisione: aggiornamento scope e nuovo sito produttivo
Scope of revision: updating scope and new production plant

TÜV Rheinland Italia © S.r.l.
Via E. Mattei, 3
20005 Pogliano Milanese (MI) – ITALY

Tel: +39 02.939.687.331
Fax: +39 02.939.687.323

Valido fino al **31/08/2026**
Valid until

TÜV Rheinland Italia S.r.l.

Dott. Diego Sirtori

Organismo Notificato n. 1936
Notified Body no. 1936



Condizioni di validità

Il presente Certificato non è da ritenersi valido se non completo di tutte le sue pagine e può essere sospeso o revocato in qualsiasi momento nel caso di inadempienze del Fabbrikante. L'autenticità e la validità del presente attestato può essere verificata contattando TÜV Rheinland Italia.

L'approvazione del Sistema di Qualità è soggetta a verifiche ispettive periodiche e/o senza preavviso.

Il Fabbrikante deve preventivamente informare TÜV Rheinland Italia ogni qual volta intenda apportare modifiche al Sistema Qualità approvato.

L'autorizzazione è valida esclusivamente per i prodotti ed i limiti essenziali qui riportati.

Il Fabbrikante è tenuto a mantenere informato TÜV Rheinland Italia sul programma di produzione previsto per le attrezzature oggetto del presente certificato. Il Fabbrikante rimane obbligato a mantenere aggiornato e disponibile un registro con l'identificazione dei prodotti immessi sul mercato con il numero identificativo 1936 di TÜV Rheinland Italia.

Il presente certificato deve ritenersi nullo ed il Fabbrikante se ne assumerà tutte le conseguenze del suo indebito utilizzo, in caso di modifiche apportate al Sistema di Qualità che influenzano la conformità ai requisiti essenziali di sicurezza e, in generale, se il Fabbrikante non rispetta tutti e ciascuno degli obblighi a suo carico previsti dalla direttiva 2014/68/UE, come recepita dalla legislazione nazionale vigente.

Validity term and conditions

This Certificate is not valid without all its pages and can be suspended or withdrawn at any time in the event of Manufacturer's non fulfilment. To verify authenticity and validity of this Certificate please contact TÜV Rheinland Italia.

The approval of the Quality System is subjected to periodic and/or unexpected visits.

The Manufacturer shall preventively inform TÜV Rheinland Italia whenever he intends to modify the approved Quality System.

The approval is only valid for the equipment and the essential limits here listed.

The Manufacturer shall inform TÜV Rheinland Italia about the production schedule. The Manufacturer remains obliged to maintain updated and available a register where items placed on the market with TÜV Rheinland Italia identification number 1936 are listed.

This certificate shall be deemed to be void and the Manufacturer shall alone bear any consequences pursuant to its use, in case of modifications where these may affect conformity to the essential safety requirements, and generally, where the Manufacturer fails to comply with each and every of his obligations under directive 2014/68/EU as transposed in the applicable national laws.

ALLEGATO I

ANNEX I

GAMMA DI APPROVAZIONE

RANGE OF APPROVAL

Certificato N.
Certificate No.

I-202-IT/Q-17 0028 REV. 03

Descrizione Description	PS (barg)	V (L) / DN	TS (°C)		Fluido Fluid			Categoria di rischio Risk Category
			Min	Max	Tipo Type	Stato State	Gruppo Group	
Valvole a sfera imperniate Serie VB, VD, VP, VQ, VS, VT, VW, RC, RN 1. Trunnion side entry ball valves Series VB, VD, VP, VQ, VS, VT, VW, RC, RN	CL150	da / from DN 32 (1.1/4") a / to DN 1800 (72")	-196	+425	Gas e Liquidi Gases and Liquids	Gas e Liquido Gas and Liquid	1, 2	I, II, III
	CL300	da / from DN 32 (1.1/4") a / to DN 1700 (68")	-196	+425	Gas e Liquidi Gases and Liquids	Gas e Liquido Gas and Liquid	1, 2	I, II, III
	CL600	da / from DN 32 (1.1/4") a / to DN 1500 (60")	-196	+425	Gas e Liquidi Gases and Liquids	Gas e Liquido Gas and Liquid	1, 2	I, II, III
	CL900	da / from DN 32 (1.1/4") a / to DN 1050 (42")	-196	+425	Gas e Liquidi Gases and Liquids	Gas e Liquido Gas and Liquid	1, 2	I, II, III
	CL1500	da / from DN 32 (1.1/4") a / to DN 900 (36")	-196	+425	Gas e Liquidi Gases and Liquids	Gas e Liquido Gas and Liquid	1, 2	I, II, III
	CL2500	da / from DN 32 (1.1/4") a / to DN 400 (16")	-196	+425	Gas e Liquidi Gases and Liquids	Gas e Liquido Gas and Liquid	1, 2	I, II, III
	CL4500	da / from DN 32 (1.1/4") a / to DN 150 (6")	-196	+425	Gas e Liquidi Gases and Liquids	Gas e Liquido Gas and Liquid	1, 2	I, II, III

TÜV Rheinland Italia ® S.r.l.
Via E. Mattei, 3
20005 Pogliano Milanese (MI) – ITALY

Tel: +39 02.939.687.331
Fax: +39 02.939.687.323

Organismo Notificato n. 1936
Notified Body no.

Pagina 1 di 5
Page of



ALLEGATO I

ANNEX I

GAMMA DI APPROVAZIONE

RANGE OF APPROVAL

Certificato N.
Certificate No.

I-202-IT/Q-17 0028 REV. 03

Descrizione Description	PS (barg)	V (L) / DN	TS (°C)		Fluido Fluid			Categoria di rischio Risk Category
			Min	Max	Tipo Type	Stato State	Gruppo Group	
Valvole a sfera imperniate Serie VB, VD, VP, VQ, VS, VT, VW, RC, RN Trunnion side entry ball valves Series VB, VD, VP, VQ, VS, VT, VW, RC, RN	138 Class 2000 psi API 6A	da / from 2.1/16" (bore 26 mm) a / to 5.1/8" (bore 131 mm)	-196	+425	Gas e Liquidi Gases and Liquids	Gas e Liquido Gas and Liquid	1, 2	II, III
	207 Class 3000 psi API 6A	da / from 2.1/16" (bore 26 mm) a / to 9" (bore 229 mm)	-196	+425	Gas e Liquidi Gases and Liquids	Gas e Liquido Gas and Liquid	1, 2	II, III
	345 Class 5000 psi API 6A	da / from 2.1/16" (bore 26 mm) a / to 9" (bore 229 mm)	-196	+425	Gas e Liquidi Gases and Liquids	Gas e Liquido Gas and Liquid	1, 2	II, III
	690 Class 10000 psi API 6A	da / from 1.13/16" (bore 26 mm) a / to 13.5/8" (bore 347 mm)	-196	+425	Gas e Liquidi Gases and Liquids	Gas e Liquido Gas and Liquid	1, 2	II, III
Valvole a sfera flottanti Serie VB, VC, VD, VF, VW 2. Floating ball valves, side and top entry Series VB, VC, VD, VF, VW	CL150 CL300	da / from DN 32 (1.1/4") a / to DN 250 (10")	-196	+425	Gas e Liquidi Gases and Liquids	Gas e Liquido Gas and Liquid	1, 2	I, II, III
	CL600	da / from DN 32 (1.1/4") a / to DN 150 (6")	-196	+425	Gas e Liquidi Gases and Liquids	Gas e Liquido Gas and Liquid	1, 2	I, II, III

TÜV Rheinland Italia © S.r.l.
Via E. Mattei, 3
20005 Pogliano Milanese (MI) – ITALY

Tel: +39 02.939.687.331
Fax: +39 02.939.687.323

Organismo Notificato n. 1936
Notified Body no.

Pagina 2 di 5
Page of



ALLEGATO I

ANNEX I

GAMMA DI APPROVAZIONE

RANGE OF APPROVAL

Certificato N.
Certificate No.

I-202-IT/Q-17 0028 REV. 03

Descrizione Description	PS (barg)	V (L) / DN	TS (°C)		Fluido Fluid			Categoria di rischio Risk Category
			Min	Max	Tipo Type	Stato State	Gruppo Group	
Valvole a sfera flottanti Serie VB, VC, VD, VF, VW Floating ball valves, side and top entry Series VB, VC, VD, VF, VW	CL900	da / from DN 32 (1.1/4") a / to DN 100 (4")	-196	+425	Gas e Liquidi Gases and Liquids	Gas e Liquido Gas and Liquid	1, 2	I, II
	CL1500 CL2500	da / from DN 32 (1.1/4") a / to DN 80 (3")	-196	+425	Gas e Liquidi Gases and Liquids	Gas e Liquido Gas and Liquid	1, 2	I, II
	138 Class 2000 psi API 6A	da / from 2.1/16" (bore 26 mm) a / to 2.9/16" (bore 65,8 mm)	-196	+425	Gas e Liquidi Gases and Liquids	Gas e Liquido Gas and Liquid	1, 2	II
	207 Class 3000 psi API 6A	da / from 2.1/16" (bore 26 mm) a / to 2.9/16" (bore 65,8 mm)	-196	+425	Gas e Liquidi Gases and Liquids	Gas e Liquido Gas and Liquid	1, 2	I, II, III
	345 Class 5000 psi API 6A	da / from 2.1/16" (bore 26 mm) a / to 2.1/16" (bore 53,1 mm)	-196	+425	Gas e Liquidi Gases and Liquids	Gas e Liquido Gas and Liquid	1, 2	II, III
	690 Class 10000 psi API 6A	da / from 1.13/16" (bore 26 mm) a / to 1.13/16" (bore 46,7 mm)	-196	+425	Gas e Liquidi Gases and Liquids	Gas e Liquido Gas and Liquid	1, 2	II, III
3. Valvole a sfera top entry imperniate Serie VT, VV Top entry trunnion ball valves Series VT, VV	CL150 CL300 CL600	da / from DN 32 (1.1/4") a / to DN 1050 (42")	-196	+425	Gas e Liquidi Gases and Liquids	Gas e Liquido Gas and Liquid	1, 2	I, II, III

TÜV Rheinland Italia ® S.r.l.
Via E. Mattei, 3
20005 Pogliano Milanese (MI) – ITALY

Tel: +39 02.939.687.331
Fax: +39 02.939.687.323

Organismo Notificato n. 1936
Notified Body no.

Pagina 3 di 5
Page of

ALLEGATO I

ANNEX I

GAMMA DI APPROVAZIONE

RANGE OF APPROVAL

Certificato N.
Certificate No.

I-202-IT/Q-17 0028 REV. 03

Descrizione Description	PS (barg)	V (L) / DN	TS (°C)		Fluido Fluid			Categoria di rischio Risk Category
			Min	Max	Tipo Type	Stato State	Gruppo Group	
Valvole a sfera top entry imperniate Serie VT, VV <i>Top entry trunnion ball valves Series VT, VV</i>	CL900	da / from DN 32 (1.1/4") a / to DN 1050 (42")	-196	+425	Gas e Liquidi Gases and Liquids	Gas e Liquido Gas and Liquid	1, 2	I, II, III
	CL1500	da / from DN 32 (1.1/4") a / to DN 750 (30")	-196	+425	Gas e Liquidi Gases and Liquids	Gas e Liquido Gas and Liquid	1, 2	I, II, III
	CL2500	da / from DN 32 (1.1/4") a / to DN 750 (30")	-196	+425	Gas e Liquidi Gases and Liquids	Gas e Liquido Gas and Liquid	1, 2	I, II, III
	CL4500	da / from DN 32 (1.1/4") a / to DN 100 (4")	-196	+425	Gas e Liquidi Gases and Liquids	Gas e Liquido Gas and Liquid	1, 2	I, II
4. Valvole a sfera top entry flottanti Serie VT1, VT3, VT5 <i>Top entry floating ball valves Series VT1, VT3, VT5</i>	CL150 CL300	da / from DN 32 (1.1/4") a / to DN 150 (6")	-196	+425	Gas e Liquidi Gases and Liquids	Gas e Liquido Gas and Liquid	1, 2	I, II, III
	CL600	da / from DN 32 (1.1/4") a / to DN 100 (4")	-196	+425	Gas e Liquidi Gases and Liquids	Gas e Liquido Gas and Liquid	1, 2	I, II
	CL900	da / from DN 32 (1.1/4") a / to DN 80 (3")	-196	+425	Gas e Liquidi Gases and Liquids	Gas e Liquido Gas and Liquid	1, 2	I, II

TÜV Rheinland Italia © S.r.l.
Via E. Mattei, 3
20005 Pogliano Milanese (MI) - ITALY

Tel: +39 02.939.687.331
Fax: +39 02.939.687.323

Organismo Notificato n. 1936
Notified Body no.

Pagina 4 di 5
Page of

ALLEGATO I

ANNEX I

GAMMA DI APPROVAZIONE

RANGE OF APPROVAL

Certificato N.
Certificate No.

I-202-IT/Q-17 0028 REV. 03

Descrizione Description	PS (barg)	V (L) / DN	TS (°C)		Fluido Fluid			Categoria di rischio Risk Category
			Min	Max	Tipo Type	Stato State	Gruppo Group	
Valvole a sfera top entry flottanti Serie VT1, VT3, VT5 <i>Top entry floating ball valves Series VT1, VT3, VT5</i>	CL1500	da / from DN 32 (1.1/4") a / to DN 65 (2.1/2")	-196	+425	Gas e Liquidi Gases and Liquids	Gas e Liquido Gas and Liquid	1, 2	I, II
	CL2500 CL4500	da / from DN 32 (1.1/4") a / to DN 50 (2")	-196	+425	Gas e Liquidi Gases and Liquids	Gas e Liquido Gas and Liquid	1, 2	I, II
5. Valvole a sfera Rising Stem Serie VR <i>Rising stem ball valves Series VR</i>	CL150 CL300 CL600	da / from DN 32 (1.1/4") a / to DN 750 (30")	-196	+530	Gas e Liquidi Gases and Liquids	Gas e Liquido Gas and Liquid	1, 2	I, II, III
	CL900	da / from DN 32 (1.1/4") a / to DN 600 (24")	-196	+530	Gas e Liquidi Gases and Liquids	Gas e Liquido Gas and Liquid	1, 2	II, III
	CL1500 CL2500	da / from DN 32 (1.1/4") a / to DN 500 (20")	-196	+530	Gas e Liquidi Gases and Liquids	Gas e Liquido Gas and Liquid	1, 2	II, III



TÜV Rheinland Italia ® S.r.l.
Via E. Mattei, 3
20005 Pogliano Milanese (MI) – ITALY

Tel: +39 02.939.687.331
Fax: +39 02.939.687.323

Organismo Notificato n. 1936
Notified Body no.

Pagina 5 di 5
Page of

